



Colour Your Way to an Improved Workplace



BBP™35 Multicolour Sign & Label Printer
BBP™37 Multicolour & Cut Sign & Label Printer

Colour Your Way to an

Unprecedented Capabilities Set the New Standard in Safety & Facility Identification

Because safety and productivity mean the world to you, it's time to step up to the new standard by creating signs and labels that demand attention. After all, effective workplace visuals make all the difference in taking your facility to the next level by giving employees the information they need right at a glance.

And now there's a tool to do it all!

Brady's BBP35 and BBP37 sign and label printers give you the power to make signs and labels in the colours and shapes you need to make an impact – right at your own facility and right when you need them. With remarkable multi-colour printing, versatile shape-cutting capabilities and impressively fast print speeds, you won't remember how you lived without one of these printers.

Faster. Easier. More Versatile. Expect Nothing Less!



Multiple Print Colours

Print signs and labels that are more noticeable, more memorable and more effective

Colour is the differentiator when you need to effectively improve workplace safety and productivity



Shape Cutting

Revolutionary built-in XY plotter-cutter system in the BBP37 printer

Cut out shapes and text, or cut around your message to create labels that look and fit just how you want them to



Label Making Made Easy

Intuitive built-in features offer ease of use so anyone can walk up and print labels

Ideal for multiple users, centralised locations and lean/5S events

Compatible with powerful Brady Workstation Label Apps for added versatility

Table of contents

Facility & Safety Identification

B-595 High Performance Indoor/Outdoor Vinyl	6
B-569 High Performance Polyester	7, 8
B-595 Pre-printed Pre-cut Blank Sign Headers	8
B-595 Pre-printed Right-To-Know Chemical Labels	9
B-551 Non-adhesive Pre-printed & Pre-cut Safety Tags	9
B-7569 Pre-printed GHS/CLP Chemical Labels.....	10
Brady Workstation CLP (GHS) Labels App	10
B-483/B-634 ToughStripe™ Floor Marking Tape with Overlamine...	11
B-854 and B-855 ToughWash™ Washdown Resistant Labels	12
B-584 Retro Reflective Tape.....	12
B-551 Non-adhesive Tag Stock.....	14
B-509 Printable Magnetic Supply.....	14
B-549 Cold Temperature Application Material	14
B-581 Repositionable Vinyl	15
B-7569 Indoor/Outdoor Vinyl.....	15

Electrical / Automation Identification

B-593 Raised Profile Labels.....	16, 17
Continuous Tapes for General Identification.....	17
Premask Application Tape	17
Print Ribbons.....	18
BBP35 & BBP37 Sign & Label Printers	19
Printer Technical Data	19
Printer Accessories	20
Material Index	21, 22
Which Material for Which Application.....	23

Improved Workplace



Automatic Label Setup

Printers read critical information from the supply cartridge and then automatically set it up so you can start printing immediately

No more calibration or wasted labels, no print speed/burn temperature trial labels, no scrolling through screens to select a label and no wasted time setting up label dimensions or text size

20-second Material Changeovers

"Drop in" ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps

You can get on with the job faster, giving you more time for other tasks

12.7 cm per Second Print Speed

Fast processing time and print speed means you don't have to wait around for your labels



Fast colour printing, shape cutting, ease-of-use & reliable materials... with Brady's BBP35 and BBP37 sign and label printers you can take your workplace to the next level!

BBP™ 35
MULTICOLOUR SIGN & LABEL PRINTER

BBP™ 37
MULTICOLOUR & CUT SIGN & LABEL PRINTER



Brady Materials Are Made To Impress.



Brady labels last the longest, period

Brady labels stick and stay stuck, plain and simple. In fact, some last up to 10 years outdoors*. You only need to make them once. And after you make them, they're there for good.

Options. Lots of options.

We make labels for specific applications. That's why we have hundreds of label types and sizes to choose from. We want you to be 100% confident that you have the right label for your exact application.

We set the bar high.

There's a reason why Brady materials lead the industry in durability and performance. It's because we design and manufacture the labels ourselves. We put our materials through rigorous, painstaking tests and trials – and nothing leaves our doors until it passes with flying colours. We set the standards high – because we know it's the only way our materials can exceed your expectations.

With label printing like this, the possibilities are endless.

*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

Impressive material lineup

Depending on the customer's needs, the printers can be used with over 400 material parts in 30 different materials designed for:

- Multicolour safety identification signs
- Pipe markers
- 5S labels and general purpose die cut labels
- Production line facility labels



Applications

Facility & Safety Identification



Multicolour Safety Signs



Pipe Markers



Machine Safety Labels



GHS/CLP Labels



Warehouse Identification



Safety Tags



Control Panel Labels



Labelling in Food & Bev. Industry



Labelling in Low Light Situations



B-595 HIGH PERFORMANCE INDOOR/OUTDOOR VINYL

FOR GENERAL FACILITY AND SAFETY IDENTIFICATION: OUR BEST INDUSTRIAL VINYL YET



Durable, low-shrink vinyl with our most aggressive adhesive
Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)


Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



Facility and Safety Applications:

5S Labels, Pipe Markers, Safety & Warning Labels, Equipment & Panel Labels, Arc Flash & Chemical Labels and More!

Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-500-595-BK	Black	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-BL	Blue	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-BR	Brown	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-CL	Clear	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-595-GD	Gold	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-595-GN	Green	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-GY	Grey	12.70	30.40	1	1	B30-R10000	⊙
B30C-500-595-OR	Orange	12.70	30.40	1	1	B30-R10000	⊙
B30C-500-595-PL	Purple	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-RD	Red	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-595-WT	White	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-595-YL	Yellow	12.70 30.40	1	1	B30-R10000		⊙
B30C-1125-595-BK	Black	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-BL	Blue	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-BR	Brown	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-CL	Clear	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-595-GD	Gold	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-595-GN	Green	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-GY	Grey	29.00	30.40	1	1	B30-R10000	⊙
B30C-1125-595-OR	Orange	29.00	30.40	1	1	B30-R10000	⊙
B30C-1125-595-PL	Purple	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-RD	Red	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-595-WT	White	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-595-YL	Yellow	29.00 30.40	1	1	B30-R10000		⊙
B30C-2250-595-BK	Black	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-BL	Blue	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-BR	Brown	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-CL	Clear	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-595-GD	Gold	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-595-GN	Green	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-GY	Grey	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-595-OR	Orange	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-595-PL	Purple	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-RD	Red	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-595-WT	White	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-595-YL	Yellow	57.00 30.40	1	1	B30-R10000		⊙
B30C-3000-595-WT	White	75.00 30.40	1	1	B30-R10000		⊙
B30C-3000-595-YL	Yellow	75.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-BK	Black	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-BL	Blue	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-BR	Brown	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-CL	Clear	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-GD	Gold	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-GN	Green	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-GY	Grey	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-OR	Orange	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-PL	Purple	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-RD	Red	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-595-WT	White	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-595-YL	Yellow	101.00 30.40	1	1	B30-R10000		⊙




See page 21, 22 for full material properties.

B-569 HIGH PERFORMANCE POLYESTER

FOR LABELLING STAINLESS STEEL AND SMOOTH SURFACES

Low-halide content for labelling stainless steel pipes and surfaces
Applies best to very smooth surfaces and ideal for mounting to rigid panels



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-500-569-BK	Black	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-BL	Blue	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-BR	Brown	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-CL	Clear	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-GN	Green	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-GY	Grey	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-LB	Light Blue	12.70	30.40	1	1	B30-R10000	⊙
B30C-500-569-OC	Ochre	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-OR	Orange	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-PK	Pink	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-PL	Purple	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-RD	Red	12.70	30.40	1	1	B30-R10000-WT	⊙
B30C-500-569-SB	Sky Blue	12.70	30.40	1	1	B30-R10000	⊙
B30C-500-569-TN	Tan	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-WT	White	12.70 30.40	1	1	B30-R10000		⊙
B30C-500-569-YL	Yellow	12.70 30.40	1	1	B30-R10000		⊙
B30C-1125-569-BK	Black	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-BL	Blue	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-BR	Brown	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-CL	Clear	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-GN	Green	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-GY	Grey	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-LB	Light Blue	29.00	30.40	1	1	B30-R10000	⊙
B30C-1125-569-OC	Ochre	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-OR	Orange	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-PK	Pink	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-PL	Purple	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-RD	Red	29.00	30.40	1	1	B30-R10000-WT	⊙
B30C-1125-569-SB	Sky Blue	29.00	30.40	1	1	B30-R10000	⊙
B30C-1125-569-TN	Tan	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-WT	White	29.00 30.40	1	1	B30-R10000		⊙
B30C-1125-569-YL	Yellow	29.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-BK	Black	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-BL	Blue	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-BR	Brown	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-CL	Clear	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-GN	Green	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-GY	Grey	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-569-LB	Light Blue	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-569-OC	Ochre	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-OR	Orange	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-PK	Pink	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-PL	Purple	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-RD	Red	57.00	30.40	1	1	B30-R10000-WT	⊙
B30C-2250-569-SB	Sky Blue	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-569-TN	Tan	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-WT	White	57.00 30.40	1	1	B30-R10000		⊙
B30C-2250-569-YL	Yellow	57.00 30.40	1	1	B30-R10000		⊙
B30C-3000-569-WT	White	75.00 30.40	1	1	B30-R10000		⊙
B30C-4000-569-BK	Black	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-BL	Blue	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-BR	Brown	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-CL	Clear	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-569-GN	Green	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-GY	Grey	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-569-LB	Light Blue	101.00	30.40	1	1	B30-R10000	⊙
B30C-4000-569-OC	Ochre	101.00 30.40	1	1	B30-R10000		⊙
B30C-4000-569-OR	Orange	101.00 30.40	1	1	B30-R10000		⊙


See page 21, 22 for full material properties.

>>



B-569 HIGH PERFORMANCE POLYESTER (CONTINUED)

Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-4000-569-PK	Pink	101.00	30.40	1	1	B30-R10000	⊙
B30C-4000-569-PL	Purple	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-RD	Red	101.00	30.40	1	1	B30-R10000-WT	⊙
B30C-4000-569-SB	Sky Blue	101.00	30.40	1	1	B30-R10000	⊙
B30C-4000-569-TN	Tan	101.00 30.40	1 1	B30-R10000			⊙
B30C-4000-569-WT	White	101.00 30.40	1 1	B30-R10000			⊙
B30C-4000-569-YL	Yellow	101.00 30.40	1 1	B30-R10000			⊙



B-595 PRE-PRINTED PRE-CUT BLANK SIGN HEADERS

FOR CREATING ARC FLASH AND SAFETY WARNING LABELS IN SECONDS



Allows the printer to create multi-colour signs fast - in a single print pass
Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces



Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP35/37 printer or with the templates in the Workstation software.



Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30-25-595-ANSIDA	⚠ DANGER	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-ANSIDA	⚠ DANGER	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-ANSICA	⚠ CAUTION	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-ANSICA	⚠ CAUTION	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-ANSIWA	⚠ WARNING	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-ANSIWA	⚠ WARNING	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-ANSINO	NOTICE	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-ANSINO	NOTICE	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-OSHADA	DANGER	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-OSHADA	DANGER	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-OSHACA*	CAUTION	101.00	152.00	1	175	B30-R10000	⊗
B30-241-595-OSHACA*	CAUTION	57.00	75.00	1	300	B30-R10000	⊗
B30-25-595-BLNKWT		101.00	152.00	1	175	B30-R10000	▲
B30-241-595-BLNKWT		57.00	75.00	1	300	B30-R10000	▲
B30-242-595-BLNKWT		29.00	72.00	1	300	B30-R10000	▲
B30-219-595-BLNKWT		57.00	98.00	1	250	B30-R10000	▲
B30-25-595-BLNKYL		101.00	152.00	1	175	B30-R10000	▲
B30-241-595-BLNKYL		57.00	75.00	1	300	B30-R10000	▲



*The text area below the header is yellow. Text area below other signs are white
B30-R10000 coloured ribbons can also be used on these parts

See page 21, 22 for full material properties.


B-595 PRE-PRINTED RIGHT-TO-KNOW CHEMICAL LABELS

FOR QUICKLY CREATING NFPA AND COLOUR BAR LABELS

Allows the printer to produce 5 colour chemical labels in a single print pass
Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling



Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30-243-595-NFPA		101.00	159.00	1	170	B30-R10000	
B30-161-595-NFPA		101.00	101.00	1	240	B30-R10000	
B30-243-595-CB		101.00	159.00	1	170	B30-R10000	
B30-244-595-CB		57.00	57.00	1	365	B30-R10000	
B30-244-595-NFPA		57.00	57.00	1	365	B30-R10000	
B30-244-595-DIAM		57.00	57.00	1	365	B30-R10000	
B30-245-595-CB		57.00	108.00	1	240	B30-R10000	
B30-245-595-NFPA		57.00	108.00	1	240	B30-R10000	
B30-244-595-HMIG		57.00	57.00	1	365	B30-R10000	
B30-246-595-HMIG		29.00	82.50	1	300	B30-R10000	
B30-246-595-NFR		29.00	82.50	1	300	B30-R10000	




B-551 NON-ADHESIVE PRE-PRINTED & PRE-CUT SAFETY TAGS

PRE-PRINTED AND PRE-CUT TO SAVE YOU TIME

Non-adhesive semi-rigid polyester card stock
Tags are pre-cut with hole and chamfered corners
Perforated between tags
Snap-in plastic grommets available for extra strength around mounting hole. Order reference: 020596



Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30-255-551-ANSIDA		82.55	146.05	1	100	B30-R10000	
B30-255-551-OSHADA		82.55	146.05	1	100	B30-R10000	
B30-255-551-ANSICA		82.55	146.05	1	100	B30-R10000	



See page 21, 22 for full material properties.



B-7569 PRE-PRINTED GHS/CLP CHEMICAL LABELS

PRINT 2 COLOUR GHS LABELS IN ONE FAST PRINT PASS


Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass

3 sizes of labels that match templates in the Brady Workstation CLP (GHS) app. Find out more at workstation.bradyd.com!

Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30-260-7569-CLP1		55.00	85.00	1	340	B30-R10000	
B30-260-7569-CLP2		55.00	85.00	1	340	B30-R10000	
B30-260-7569-CLP3A		55.00	85.00	1	340	B30-R10000	
B30-260-7569-CLP3B		55.00	85.00	1	340	B30-R10000	
B30-260-7569-CLP4A		55.00	85.00	1	340	B30-R10000	
B30-260-7569-CLP4B		55.00	85.00	1	340	B30-R10000	
B30-261-7569-CLP1		75.00	110.00	1	270	B30-R10000	
B30-261-7569-CLP2		75.00	110.00	1	270	B30-R10000	
B30-261-7569-CLP3A		75.00	110.00	1	270	B30-R10000	
B30-261-7569-CLP3B		75.00	110.00	1	270	B30-R10000	
B30-261-7569-CLP4A		75.00	110.00	1	270	B30-R10000	
B30-261-7569-CLP4B		75.00	110.00	1	270	B30-R10000	
B30-262-7569-CLP1		105.00	155.00	1	200	B30-R10000	
B30-262-7569-CLP2		105.00	155.00	1	200	B30-R10000	
B30-262-7569-CLP3A		105.00	155.00	1	200	B30-R10000	
B30-262-7569-CLP3B		105.00	155.00	1	200	B30-R10000	
B30-262-7569-CLP4A		105.00	155.00	1	200	B30-R10000	
B30-262-7569-CLP4B		105.00	155.00	1	200	B30-R10000	



BRADY WORKSTATION CLP (GHS) LABELS APP

The latest in label creation software, Brady Workstation changes the way you create labels on your PC. Instead of using a CD to upload label-making software on your computer, you simply download the Brady Workstation platform to your desktop and add the label-creation apps you want.

The CLP (GHS) Labels app makes aligning with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) amazingly simple.

It features easy uploading and storing of Safety Data Sheet (SDS) information and label creation capabilities.




DISCOVER IT AT WORKSTATION.BRADYID.COM

See page 21, 22 for full material properties.

IDEAL FOR MARKING AISLES, PASSAGEWAYS AND STORAGE LOCATIONS

Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlaminate
Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlaminate



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-1125-483BK-KT	Black	29.00	30.40	1	1	B30-R4400	
B30C-1125-483BL-KT	Blue	29.00	30.40	1	1	B30-R4400	
B30C-1125-483GN-KT	Green	29.00	30.40	1	1	B30-R4400	
B30C-1125-483OR-KT	Orange	29.00 30.40	1	1	B30-R6000HF		
B30C-1125-483RD-KT	Red	29.00	30.40	1	1	B30-R4400	
B30C-1125-483WT-KT	White	29.00 30.40	1	1	B30-R6000HF		
B30C-1125-483YL-KT	Yellow	29.00 30.40	1	1	B30-R6000HF		
B30C-2250-483BK-KT	Black	57.00	30.40	1	1	B30-R4400	
B30C-2250-483BL-KT	Blue	57.00	30.40	1	1	B30-R4400	
B30C-2250-483GN-KT	Green	57.00	30.40	1	1	B30-R4400	
B30C-2250-483OR-KT	Orange	57.00 30.40	1	1	B30-R6000HF		
B30C-2250-483RD-KT	Red	57.00	30.40	1	1	B30-R4400	
B30C-2250-483WT-KT	White	57.00 30.40	1	1	B30-R6000HF		
B30C-2250-483YL-KT	Yellow	57.00 30.40	1	1	B30-R6000HF		
B30C-3000-483WT-KT	White	75.00 30.40	1	1	B30-R6000HF		
B30C-3000-483YL-KT	Yellow	75.00 30.40	1	1	B30-R6000HF		
B30C-4000-483BK-KT	Black	101.00	30.40	1	1	B30-R4400	
B30C-4000-483BL-KT	Blue	101.00	30.40	1	1	B30-R4400	
B30C-4000-483GN-KT	Green	101.00	30.40	1	1	B30-R4400	
B30C-4000-483OR-KT	Orange	101.00 30.40	1	1	B30-R6000HF		
B30C-4000-483RD-KT	Red	101.00	30.40	1	1	B30-R4400	
B30C-4000-483WT-KT	White	101.00 30.40	1	1	B30-R6000HF		
B30C-4000-483YL-KT	Yellow	101.00 30.40	1	1	B30-R6000HF		



Brady has an extensive range of Area Marking Solutions. Contact your Brady distributor if you wish to receive a catalogue for these products.

See page 21, 22 for full material properties.




B-854 AND B-855 TOUGHWASH™ WASHDOWN RESISTANT LABELS

WITHSTANDS PRESSURES OF HIGH HEAT, HARSH CHEMICALS AND NUMEROUS WASHDOWN CYCLES

Ideal for use in the Food & Beverage industry
Legible and long-lasting for even the toughest washdown cycles
B-854 offers metal detectable layer to detect foreign debris in food stream



Order Reference		Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
Die-cut Labels								
B30-25-855-WARN		101.60	152.40	-	1	100	B30-R6000HF	⊗
B30-25-855-DANG		101.60	152.40	-	1	100	B30-R6000HF	⊗
B30-25-855-CAUT		101.60	152.40	-	1	100	B30-R6000HF	⊗
B30-25-854-WARN		101.60	152.40	-	1	100	B30-R6000HF	⊗
B30-25-854-DANG		101.60	152.40	-	1	100	B30-R6000HF	⊗
B30-25-854-CAUT		101.60	152.40	-	1	100	B30-R6000HF	⊗
Continuous rolls								
B30C-1125-855-YL		28.58	-	15.24	1	1	B30-R6000HF	⊙
B30C-1125-855-WT		28.58	-	15.24	1	1	B30-R6000HF	⊙
B30C-2250-855-YL		57.15	-	15.24	1	1	B30-R6000HF	⊙
B30C-2250-855-WT		57.15	-	15.24	1	1	B30-R6000HF	⊙
B30C-4000-855-YL		101.60	-	15.24	1	1	B30-R6000HF	⊙
B30C-4000-855-WT		101.60	-	15.24	1	1	B30-R6000HF	⊙
B30C-4000-854-YL		101.60	-	15.24	1	1	B30-R6000HF	⊙
B30C-4000-854-WT		101.60	-	15.24	1	1	B30-R6000HF	⊙



B-584 RETRO REFLECTIVE TAPE

FOR HIGHLY REFLECTIVE IDENTIFICATION THAT SHINES BACK BRIGHTLY WHEN STRUCK BY LIGHT

Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
Recommended low light or inclement weather conditions




Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-1125-584-OR	Reflective Orange	28.58	15.20	1	1	B30-R10000	⊙
B30C-1125-584-SL	Silver	28.58	15.20	1	1	B30-R10000	⊙
B30C-1125-584-YL	Yellow	28.58	15.20	1	1	B30-R10000	⊙
B30C-2250-584-OR	Reflective Orange	57.15	15.20	1	1	B30-R10000	⊙
B30C-2250-584-SL	Silver	57.15	15.20	1	1	B30-R10000	⊙
B30C-2250-584-YL	Yellow	57.15	15.20	1	1	B30-R10000	⊙
B30C-4000-584-OR	Reflective Orange	101.60	15.20	1	1	B30-R10000	⊙
B30C-4000-584-SL	Silver	101.60	15.20	1	1	B30-R10000	⊙
B30C-4000-584-YL	Yellow	101.60	15.20	1	1	B30-R10000	⊙

See page 21, 22 for full material properties.



B-526 BRADYGLO™ HIGH-INTENSITY PHOTOLUMINESCENT TAPE

FOR GLOW-IN-THE DARK IDENTIFICATION - UP TO 10 HOURS

Designed for directional and evacuation marking
Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-1125-526	Luminous Green	29.00	15.20	1	1	B30-R10000	⊙
B30C-2250-526	Luminous Green	57.00	15.20	1	1	B30-R10000	⊙
B30C-4000-526	Luminous Green	101.00	15.20	1	1	B30-R10000	⊙



Brady has a range of photoluminescent area marking products which can be the perfect compliment to the BradyGlo labels and signs printed on the BBP35 and BBP37 Label Printers. Contact your Brady distributor or visit www.bradyeurope.com for more information.


B-595 AND B-7569 PRE-CUT BLANK LABELS

FOR GENERAL PURPOSE, PEEL-OFF-AND-APPLY IDENTIFICATION

Ideal for a wide range of labelling applications
Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
Indoor/Outdoor grade material



Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30-242-7569-WT	White	29.00	72.00	1	300	B30-R10000	▲
B30-242-595-BLNKWT	White	29.00 72.00	1	300	B30-R10000		▲
B30-241-7569-WT	White	57.00 75.00	1	300	B30-R10000		▲
B30-241-7569-YL	Yellow	57.00 75.00	1	300	B30-R10000		▲
B30-241-595-BLNKWT	White	57.00 75.00	1	300	B30-R10000		▲
B30-241-595-BLNKYL	Yellow	57.00 75.00	1	300	B30-R10000		▲
B30-219-7569-WT	White	57.00 98.00	1	250	B30-R10000		▲
B30-219-595-BLNKWT	White	57.00 98.00	1	250	B30-R10000		▲
B30-25-7569-WT	White	101.00	152.00	1	175	B30-R10000	▲
B30-25-7569-YL	Yellow	101.00 152.00	1	175	B30-R10000		▲
B30-25-595-BLNKWT	White	101.00 152.00	1	175	B30-R10000		▲
B30-25-595-BLNKYL	Yellow	101.00 152.00	1	175	B30-R10000		▲



See page 21, 22 for full material properties.



B-551 Non-Adhesive Tag Stock

FOR SAFETY, LOCKOUT AND GENERAL PURPOSE HANGING TAGS

Non-adhesive, polyester stock

Hole punch available separately. Order reference: 020591

Optional snap-in grommets available. Order Reference: 020596



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Size - Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-2500-551-WT	White	64.00	15.24	-	1	1	B30-R10000	
B30-255-551-WT	White	82.55	146.05	1	100	B30-R10000		
B30C-3250-551-WT	White	83.00	15.24	-	1	1	B30-R10000	
B30C-4250-551-WT	White	108.00	15.24	-	1	1	B30-R10000	



COLOURED NYLON TIES

COLOURED NYLON TIES PROVIDE YOU WITH AN OPTION OF COLOUR CODED APPLICATION.

Order Reference	Colour	Width (mm)	Length (mm)	Packaging
622646	White	3.20	140.00	100
622680	Blue	3.60	140.00	100
622681	Green	3.60	140.00	100
622682	Orange	3.60	140.00	100
622683	Purple	3.60	140.00	100
622684	Red	3.60	140.00	100
622685	Yellow	3.60	140.00	100
622613	Black	3.60	203.00	100
622647	White	3.60	203.00	100

Order Reference	Colour	Width (mm)	Length (mm)	Packaging
229956	Blue	3.60	205.00	100
229957	Red	3.60	205.00	100
229958	Orange	3.60	205.00	100
229959	Yellow	3.60	205.00	100
229960	Green	3.60	205.00	100
229961	Purple	3.60	205.00	100



B-509 PRINTABLE MAGNETIC SUPPLY

EASIEST AND QUICKEST MATERIAL FOR REMOVING AND REPOSITIONING

Non-adhesive magnetic material that can be printed on directly

Ideal for reusable and repositionable identification applications



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-2500-509-WT	White	64.00	7.60	1	1	B30-R6000HF	
B30C-2500-509-YL	Yellow	64.00	7.60	1	1	B30-R6000HF	
B30C-4250-509-WT	White	108.00	7.60	1	1	B30-R6000HF	
B30C-4250-509-YL	Yellow	108.00	7.60	1	1	B30-R6000HF	



B-549 COLD TEMPERATURE APPLICATION MATERIAL

FOR IDENTIFICATION IN TEMPERATURES AS COLD AS -40°C

Special adhesive permanently adheres to extremely cold surfaces

Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter




Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-1125-549-WT	White	29.00	30.40	1	1	B30-R10000	
B30C-1125-549-YL	Yellow	29.00	30.40	1	1	B30-R10000	
B30C-2250-549-WT	White	57.00	30.40	1	1	B30-R10000	
B30C-2250-549-YL	Yellow	57.00	30.40	1	1	B30-R10000	
B30C-4000-549-WT	White	101.00	30.40	1	1	B30-R10000	
B30C-4000-549-YL	Yellow	101.00	30.40	1	1	B30-R10000	

See page 21, 22 for full material properties.

B-581 REPOSITIONABLE VINYL

FOR 5S AND LEAN APPLICATIONS

Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels




Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-500-581-WT	White	12.50	30.40	1	1	B30-R10000	⊙
B30C-500-581-YL	Yellow	12.50	30.40	1	1	B30-R10000	⊙
B30C-1125-581-WT	White	29.00	30.40	1	1	B30-R10000	⊙
B30C-1125-581-YL	Yellow	29.00	30.40	1	1	B30-R10000	⊙
B30C-2250-581-WT	White	57.00	30.40	1	1	B30-R10000	⊙
B30C-2250-581-YL	Yellow	57.00	30.40	1	1	B30-R10000	⊙
B30C-4000-581-WT	White	101.00	30.40	1	1	B30-R10000	⊙
B30C-4000-581-YL	Yellow	101.00	30.40	1	1	B30-R10000	⊙

B-7569 INDOOR/OUTDOOR VINYL

GENERAL PURPOSE INDUSTRIAL VINYL FOR INDOOR/OUTDOOR USAGE

High gloss, durable and flexible identification material
Adheres to difficult low surface energy materials
Can handle up to 75°C, which meets industry maintenance temperatures
Low-shrink Vinyl



Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-500-7569-BK	Black	12.70	30.00	1	1	B30-R10000-WT	⊙
B30C-500-7569-BL	Blue	12.70	30.00	1	1	B30-R10000-WT	⊙
B30C-500-7569-GN	Green	12.70	30.00	1	1	B30-R10000-WT	⊙
B30C-500-7569-OR	Orange	12.70	30.00	1	1	B30-R10000	⊙
B30C-500-7569-RD	Red	12.70	30.00	1	1	B30-R10000-WT	⊙
B30C-500-7569-WT	White	12.70	30.00	1	1	B30-R10000	⊙
B30C-500-7569-YL	Yellow	12.70	30.00	1	1	B30-R10000	⊙
B30C-1125-7569-BK	Black	29.00	30.00	1	1	B30-R10000-WT	⊙
B30C-1125-7569-BL	Blue	29.00	30.00	1	1	B30-R10000-WT	⊙
B30C-1125-7569-GN	Green	29.00	30.00	1	1	B30-R10000-WT	⊙
B30C-1125-7569-OR	Orange	29.00	30.00	1	1	B30-R10000	⊙
B30C-1125-7569-RD	Red	29.00	30.00	1	1	B30-R10000-WT	⊙
B30C-1125-7569-WT	White	29.00	30.00	1	1	B30-R10000	⊙
B30C-1125-7569-YL	Yellow	29.00	30.00	1	1	B30-R10000	⊙
B30C-2250-7569-BK	Black	57.00	30.00	1	1	B30-R10000-WT	⊙
B30C-2250-7569-BL	Blue	57.00	30.00	1	1	B30-R10000-WT	⊙
B30C-2250-7569-GN	Green	57.00	30.00	1	1	B30-R10000-WT	⊙
B30C-2250-7569-OR	Orange	57.00	30.00	1	1	B30-R10000	⊙
B30C-2250-7569-RD	Red	57.00	30.00	1	1	B30-R10000-WT	⊙
B30C-2250-7569-WT	White	57.00	30.00	1	1	B30-R10000	⊙
B30C-2250-7569-YL	Yellow	57.00	30.00	1	1	B30-R10000	⊙
B30C-3000-7569-WT	White	75.00	30.00	1	1	B30-R10000	⊙
B30C-3000-7569-YL	Yellow	75.00	30.00	1	1	B30-R10000	⊙
B30C-4000-7569-BK	Black	101.00	30.00	1	1	B30-R10000-WT	⊙
B30C-4000-7569-BL	Blue	101.00	30.00	1	1	B30-R10000-WT	⊙
B30C-4000-7569-GN	Green	101.00	30.00	1	1	B30-R10000-WT	⊙
B30C-4000-7569-OR	Orange	101.00	30.00	1	1	B30-R10000	⊙
B30C-4000-7569-RD	Red	101.00	30.00	1	1	B30-R10000-WT	⊙
B30C-4000-7569-WT	White	101.00	30.00	1	1	B30-R10000	⊙
B30C-4000-7569-YL	Yellow	101.00	30.00	1	1	B30-R10000	⊙

See page 21, 22 for full material properties.



B-593 RAISED PROFILE LABELS - PUSH BUTTON STYLE

LOWER COST THAN ENGRAVED LEGEND PLATES

High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
 High performance, low cost substitute to engraved plates
 10 year outdoor durability rating
 On-demand labelling: labels print out in less than 4 seconds
 5 push button sizes (including keyed with 22.50 and 30.50 mm hole diam and non-keyed with 22.50 mm hole diam)




Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30EP-167-593-WT	White	38.10	30.48	22.50	44.50	1	200	B30-R6000HF	
B30EP-167-593-RD	Red	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-167-593-YL	Yellow	38.10 30.48	22.50 44.50	1	200	B30-R6000HF			
B30EP-167-593-GN	Green	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-167-593-BK	Black	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-167U-593-WT	White	38.10 30.48	22.50 44.50	1	200	B30-R6000HF			
B30EP-167U-593-RD	Red	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-167U-593-YL	Yellow	38.10 30.48	22.50 44.50	1	200	B30-R6000HF			
B30EP-167U-593-GN	Green	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-167U-593-BK	Black	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT	
B30EP-169-593-WT	White	45.72 45.72	30.50 50.80	1	190	B30-R6000HF			
B30EP-169-593-RD	Red	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT	
B30EP-169-593-YL	Yellow	45.72 45.72	30.50 50.80	1	190	B30-R6000HF			
B30EP-169-593-GN	Green	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT	
B30EP-169-593-BK	Black	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT	
B30EP-168-593-WT	White	48.26 30.48	22.50 54.00	1	180	B30-R6000HF			
B30EP-168-593-RD	Red	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT	
B30EP-168-593-YL	Yellow	48.26 30.48	22.50 54.00	1	180	B30-R6000HF			
B30EP-168-593-GN	Green	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT	
B30EP-168-593-BK	Black	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT	
B30EP-170-593-WT	White	60.96 60.96	30.50 66.70	1	145	B30-R6000HF			
B30EP-170-593-RD	Red	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT	
B30EP-170-593-YL	Yellow	60.96 60.96	30.50 66.70	1	145	B30-R6000HF			
B30EP-170-593-GN	Green	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT	
B30EP-170-593-BK	Black	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT	




B-593 RAISED PROFILE LABELS

LOWER COST THAN ENGRAVED LEGEND PLATES

High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65 mm)
 Ideal for inside-panel backer board labels and front-of-enclosure labelling
 On-demand labelling: labels print out in less than 4 seconds
 No need to abbreviate your text to avoid per character engraving charges
 10-year outdoor durability rating
 6 colours, 7 rectangular sizes



Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30EP-171-593-WT	White	26.92	12.70	19.10	1	500	B30-R6000HF	
B30EP-171-593-RD	Red	26.92	12.70	19.10	1	500	B30-R4400-WT	
B30EP-171-593-YL	Yellow	26.92 12.70	19.10	1	500	B30-R6000HF		
B30EP-171-593-GN	Green	26.92	12.70	19.10	1	500	B30-R4400-WT	
B30EP-171-593-SL	Silver	26.92 12.70	19.10	1	500	B30-R6000HF		
B30EP-171-593-BK	Black	26.92	12.70	19.10	1	500	B30-R4400-WT	
B30EP-172-593-WT	White	44.99 14.99	21.60	1	450	B30-R6000HF		
B30EP-172-593-RD	Red	44.99	14.99	21.60	1	450	B30-R4400-WT	
B30EP-172-593-YL	Yellow	44.99 14.99	21.60	1	450	B30-R6000HF		
B30EP-172-593-GN	Green	44.99	14.99	21.60	1	450	B30-R4400-WT	
B30EP-172-593-SL	Silver	44.99 14.99	21.60	1	450	B30-R6000HF		
B30EP-172-593-BK	Black	44.99	14.99	21.60	1	450	B30-R4400-WT	




>>

See page 21, 22 for full material properties.

B-593 RAISED PROFILE LABELS (CONTINUED)

Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30EP-173-593-WT	White	50.80	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-173-593-RD	Red	50.80	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-173-593-YL	Yellow	50.80	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-173-593-GN	Green	50.80	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-173-593-SL	Silver	50.80	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-173-593-BK	Black	50.80	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-175-593-WT	White	76.20	19.05	25.40	1	375	B30-R6000HF	▲
B30EP-175-593-YL	Yellow	76.20	19.05	25.40	1	375	B30-R6000HF	▲
B30EP-175-593-GN	Green	76.20	19.05	25.40	1	375	B30-R4400-WT	▲
B30EP-175-593-BK	Black	76.20	19.05	25.40	1	375	B30-R4400-WT	▲
B30EP-176-593-WT	White	76.20	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-176-593-YL	Yellow	76.20	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-176-593-GN	Green	76.20	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-176-593-BK	Black	76.20	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-177-593-WT	White	76.20	63.50	69.90	1	125	B30-R6000HF	▲
B30EP-177-593-YL	Yellow	76.20	63.50	69.90	1	125	B30-R6000HF	▲
B30EP-177-593-GN	Green	76.20	63.50	69.90	1	125	B30-R4400-WT	▲
B30EP-177-593-BK	Black	76.20	63.50	69.90	1	125	B30-R4400-WT	▲
B30EP-174-593-WT	White	101.60	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-174-593-RD	Red	101.60	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-174-593-YL	Yellow	101.60	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-174-593-GN	Green	101.60	25.40	31.80	1	300	B30-R4400-WT	▲
B30EP-174-593-SL	Silver	101.60	25.40	31.80	1	300	B30-R6000HF	▲
B30EP-174-593-BK	Black	101.60	25.40	31.80	1	300	B30-R4400-WT	▲




CONTINUOUS TAPES FOR GENERAL IDENTIFICATION

ALLOWS FOR EFFICIENT MATERIAL USE

Materials have high-tack adhesives for use onto a wide variety of surfaces and components
Good for cutting out custom-sized labels




Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon	Diagram
B30C-4000-423	White	101.00	45.70	1	1	B30-R-6000	⊙
B30C-4000-424	White	101.00	45.70	1	1	B30-R-4300	⊙
B30C-4000-428	Silver	101.00	39.60	1	1	B30-R-4300	⊙
B30C-4000-432	Clear	101.00	36.60	1	1	B30-R-6000	⊙
B30C-4000-434	Silver	101.00	39.60	1	1	B30-R-6000	⊙
B30C-4000-437	White	101.00	45.70	1	1	B30-R-4300	⊙
B30C-4000-483	White	101.00	39.60	1	1	B30-R-6000	⊙
B30C-4000-484	White	101.00	45.70	1	1	B30-R-6000	⊙
B30C-4000-486	Silver	101.00	35.10	1	1	B30-R-4300	⊙
B30C-4000-488	White	101.00	39.60	1	1	B30-R-4300	⊙
B30C-4000-489	White	101.00	39.60	1	1	B30-R-4300	⊙
B30C-4000-724	Amber	101.00	39.60	1	1	B30-R-4300	⊙
B30C-4000-727	White	101.00	39.60	1	1	B30-R-6000	⊙
B30C-4000-787	White	101.00	18.29	1	1	B30-R6000	⊙



PREMASK APPLICATION TAPE

Use Premask Application Tape to easily apply cut out letters and shapes in a straight line.

Article No.	Description	Size - Width A (mm)	Size - Length B (m)
243242	PREMASK APPLICATION TAPE	127.00	50.00



See page 21, 22 for full material properties.



PRINT RIBBONS

“DROP & CLICK” PRINT RIBBONS FOR QUICK AND EASY SUPPLY CHANGES

Tough, smear-proof ribbons that produce long-lasting printed text

Print can withstand years in industrial areas and outdoor conditions

Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”

No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction

Printer notifies user if installed ribbon is not recommended for the installed labels



Order Reference	Colour	Width (mm) x Length (m)
B30-R4300	Black	110 mm x 60.90 m
B30-R4400-WT	White	110 mm x 60.90 m
B30-R6000HF	Black	110 mm x 60.90 m
B30-R6200	Black	110 mm x 60.90 m
B30-R6600	Black	110 mm x 60.90 m
B30-R6700-WT	White	110 mm x 60.90 m
B30-R10000	Black	110 mm x 60.90 m
B30-R10000-BL	Blue	110 mm x 60.90 m
B30-R10000-CMYK-16*	Cyan, Magenta, Yellow, Black	110 mm x 60.90 m
B30-R10000-CMYK-8*	Cyan, Magenta, Yellow, Black	110 mm x 60.90 m
B30-R10000-GN	Green	110 mm x 60.90 m
B30-R10000-GR-8*	Green & Red	110 mm x 60.90 m
B30-R10000-KB-16*	Black & Blue	110 mm x 60.90 m
B30-R10000-KB-8*	Black & Blue	110 mm x 60.90 m
B30-R10000-KG-16*	Black & Green	110 mm x 60.90 m
B30-R10000-KG-8*	Black & Green	110 mm x 60.90 m
B30-R10000-KO-16*	Black & Orange	110 mm x 60.90 m
B30-R10000-KO-8*	Black & Orange	110 mm x 60.90 m
B30-R10000-KR-16*	Black & Red	110 mm x 60.90 m
B30-R10000-KR-8*	Black & Red	110 mm x 60.90 m

Order Reference	Colour	Width (mm) x Length (m)
B30-R10000-KRBO-8*	Black, Red, Orange, Blue	110 mm x 60.90 m
B30-R10000-KRGB-16*	Black, Red, Blue, Green	110 mm x 60.90 m
B30-R10000-KRGB-8*	Black, Red, Blue, Green	110 mm x 60.90 m
B30-R10000-KRYB-16*	Black, Red, Blue, Yellow	110 mm x 60.90 m
B30-R10000-KRYB-8*	Black, Red, Blue, Yellow	110 mm x 60.90 m
B30-R10000-KRYG-8*	Black, Red, Green & Yellow	110 mm x 60.90 m
B30-R10000-KY-16*	Black & Yellow	110 mm x 60.90 m
B30-R10000-KY-8*	Black & Yellow	110 mm x 60.90 m
B30-R10000-MA	Magenta	110 mm x 60.90 m
B30-R10000-OR	Orange	110 mm x 60.90 m
B30-R10000-PRCCY	Process Cyan	110 mm x 60.90 m
B30-R10000-PRCMAG	Process Magenta	110 mm x 60.90 m
B30-R10000-PRCYEL	Process Yellow	110 mm x 60.90 m
B30-R10000-RB-16*	Red & Blue	110 mm x 60.90 m
B30-R10000-RD	Red	110 mm x 60.90 m
B30-R10000-WT	White	110 mm x 60.90 m
B30-R10000-YL**	Yellow	110 mm x 60.90 m
B30-R10000-YL2**	Yellow	110 mm x 60.90 m

* '-8' have 200mm colour panels; those ending in '-16' have 400mm colour panels.

**For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2.

BBP35/37 PRINT RIBBON/MATERIAL COMPATIBILITY

B Number	B30-R4300 Black	B30-R4400-WT White	B30-R6000HF Black	B30-R6200 Black	B30-R6600 Black	B30-R6700-WT White	B30-R10000 Black	B30-R10000-WT White	B30-R10000 Colours	B30-R10000-YL2** Yellow
B-423			✓	✓						
B-424	✓									
B-428	✓									
B-432		✓	✓							
B-434			✓							
B-437	✓									
B-483/B-634		✓	✓							
B-483			✓							
B-484			✓							
B-486										
B-488	✓									
B-489	✓									
B-498	✓			✓						
B-509			✓				✓		✓	
B-526			✓				✓		✓	
B-549					✓		✓	✓	✓	
B-551			✓				✓		✓	
B-569			✓				✓	✓	✓	
B-581			✓				✓	✓	✓	
B-584			✓				✓		✓	
B-593		✓	✓							
B-595			✓			✓	✓	✓	✓	✓
B-724	✓									
B-727			✓							
B-787			✓							
B-854			✓							
B-855			✓							
B-7569			✓				✓	✓	✓	

**For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2

Seepage 21, 22 for full material properties.

BBP35 & BBP37 Sign & Label Printers



**A CHOICE OF TWO FAST, EASY-TO-USE
AND VERSATILE PRINTERS**

BBP™35 MULTICOLOUR SIGN & LABEL PRINTER

Order Reference	Art. No.	Description
BBP35-QWERTY-UK	145996	BBP35 Multicolour Sign and Label Printer - QWERTY UK
BBP35-QWERTY-EU	143634	BBP35 Multicolour Sign and Label Printer - QWERTY EU
BBP35-QWERTY-US	143633	BBP35 Multicolour Sign and Label Printer - QWERTY US
BBP35-AZERTY	143635	BBP35 Multicolour Sign and Label Printer - AZERTY
BBP35-QWERTZ	143636	BBP35 Multicolour Sign and Label Printer - QWERTZ
BBP35-CYRILLIC	143637	BBP35 Multicolour Sign and Label Printer - CYRILLIC

BBP35 Multicolour Signs & Label Printer ships with: BBP35 Printer, Power Cord, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide

BBP™37 MULTICOLOUR & CUT SIGN & LABEL PRINTER

Order Reference	Art. No.	Description
BBP37-QWERTY-UK	145995	BBP37 Multicolour and Cut Sign and Label Printer - QWERTY UK
BBP37-QWERTY-EU	143639	BBP37 Multicolour and Cut Sign and Label Printer - QWERTY EU
BBP37-QWERTY-US	143638	BBP37 Multicolour and Cut Sign and Label Printer - QWERTY US
BBP37-AZERTY	143640	BBP37 Multicolour and Cut Sign and Label Printer - AZERTY
BBP37-QWERTZ	143641	BBP37 Multicolour and Cut Sign and Label Printer - QWERTZ
BBP37-CYRILLIC	143642	BBP37 Multicolour and Cut Sign and Label Printer - CYRILLIC

BBP37 Multicolour & Cut Signs & Label Printer ships with: BBP37 Printer, Power Cord, USB Cable, Cleaning Kit, Cutter Cleaning Tool, Quick Start Guide

PRINTER TECHNICAL DATA

	BBP™35 Multicolour Sign & Label Printer	BBP™37 Multicolour & Cut Sign & Label Printer
Description	BBP™35 Multicolour Sign and Label Printer. Colour Your Way to an Improved Workplace. Brady's BBP™35 Label Printer offers outstanding colour capabilities to quickly create a safer, more productive facility. The printers' simple, automatic label setup and intuitive touchscreen enable users to make signs on demand and on-site in any colour!	BBP™37 Multicolour and Cut Sign and Label Printer. Colour Your Way to an Improved Workplace. Brady's BBP™37 Label Printer offers outstanding colour and cutting capabilities to quickly create a safer, more productive facility. The printer's simple, automatic label setup and intuitive touchscreen enable you to make signs on demand and on-site in any colour and shape!
Applications	Arc Flash labelling; Asset identification; CLP & Chemical labelling; Cold Temperature Identification; Equipment labelling; Exit & evacuation labelling; Facility & safety ID; Lean/5S Labeling; Lockout identification & marking; Panel labeling; Pipe marking; Security Identification; Temporary labelling	Arc Flash labelling; Asset identification; CLP & Chemical labelling; Cold Temperature Identification; Equipment labelling; Exit & evacuation labelling; Facility & safety ID; Lean/5S Labeling; Lockout identification & marking; Panel labeling; Pipe marking; Security Identification; Temporary labelling
Specifications		
Print Resolution (dpi)	300 dpi	300 dpi
Print Speed (mm/sec)	127	127
Print Technology	Thermal Transfer	Thermal Transfer
Max. Label Width	101.00 mm	101.00 mm
Cutter	Auto Cutter	XY Cutter and Auto Cutter
Features		
Colour Capability	Multicolour; Monocolour	Multicolour; Monocolour
Stand-alone Printing (Detached from PC)	Yes	Yes
Software Compatibility	Brady Workstation	Brady Workstation
Continuous vs Die-cut Labels	Continuous Tape & Die Cut Labels	Continuous Tape & Die Cut Labels
Recommended Usage per Day	Around 1,500 labels/day, depending on specific label size, text printed and other factors.	Around 1,500 labels/day, depending on specific label size, text printed and other factors.
Materials Supported	Indoor/Outdoor Grade Vinyl; Low-Halide Polyester; Pre-Printed GHS/CLP Labels; Pre-Printed Sign Header Labels; Tags; ToughWash Washdown Resistant Labels; Toughstripe Floor Marking Tape; Reflective Tape; Photoluminescent Tape; Magnetic Supply; Repositionable Vinyl; Right-To-Know Chemical Labels; Cold Temperature Tape; Push Button and Raised Panel Labels.	Indoor/Outdoor Grade Vinyl; Low-Halide Polyester; Pre-Printed GHS/CLP Labels; Pre-Printed Sign Header Labels; Tags; ToughWash Washdown Resistant Labels; Toughstripe Floor Marking Tape; Reflective Tape; Photoluminescent Tape; Magnetic Supply; Repositionable Vinyl; Right-To-Know Chemical Labels; Cold Temperature Tape; Push Button and Raised Panel Labels; Industrial Paper, Polyester, Polyimide, Polyvinyl Fluoride and Tedlar labels.
PC Connectivity	Yes	Yes
Connectivity Options	USB, Ethernet. Optional: Wifi, Bluetooth	USB, Ethernet. Optional: Wifi, Bluetooth
Physical Properties		
Depth x Height x Width	360 mm x 280 mm x 480 mm	360 mm x 280 mm x 480 mm
Weight (kg)	16.50 kg	16.50 kg
Keyboard Type	QWERTY, QWERTZ, AZERTY, CYRILLIC	QWERTY, QWERTZ, AZERTY, CYRILLIC
Operating Temperature	10 to 40°C. 20 to 80% RH non-condensing	10 to 40°C. 20 to 80% RH non-condensing
Approval/Compliance	USA & Canada : cULc; Europe : CE-RoHS; Argentina : UL-AR & S Mark; Mexico : UL NOM CoC; Australia : RCM mark; Russia : EAC; Korea : KC; China : CCC-RoHS; India : BIS; Taiwan : BSMI Exemption; South Africa : LOA and SABS (No logo on product label)	USA & Canada : cULc; Europe : CE-RoHS; Argentina : UL-AR & S Mark; Mexico : UL NOM CoC; Australia : RCM mark; Russia : EAC; Korea : KC; China : CCC-RoHS; India : BIS; Taiwan : BSMI Exemption; South Africa : LOA and SABS (No logo on product label)
Warranty	1 year	1 year

TEDLAR® is a registered trademark of DuPont.

ACCESSORIES FOR YOUR PRINTERS

Order Reference	Art. No.	Description
Squeegee	036612	Squeegee
PCK-6	133251	Printer Cleaning Kit - Thermal Transfer Printers
B30-WIPER	142114	Media Wiper 5 Pack
NET-BT	142265	Bluetooth Network Card
NET-WIFI	142266	WiFi Network Card
NET-LAN	142267	LAN Network Card
NET-WIFI-LAN	142268	WiFi/ LAN Network Card



Network card



Squeegee



BRADY WORKSTATION

The latest in label creation software, Brady Workstation revolutionizes the way you create labels on your PC. Instead of using a CD to upload label-making software on your computer, you simply download the Brady Workstation platform to your desktop and add the label-creation apps you want. It's built to be simple, with a variety of easy-to-use apps for several applications. Each app walks you through the necessary steps to efficiently create your own signs, pipe markers, lockout procedures and labels, giving you time to spare for other projects. It also includes built-in regulations and standards to help you stay compliant.

DISCOVER IT AT WORKSTATION.BRADYID.COM



CLP/GHS LABELS APP

Creating CLP/GHS labels is now amazingly simple. Enter your SDS data one time, and you can create any size label and print it at any time.



LOCKOUT WRITER APP

Quickly create compliant lockout/tagout labels. This app includes procedure printing templates, simple translations, easy-to-use image editing for callouts.



EXPRESS SIGNS APP

Create your signs in no time – Simply pick a template, enter your info and it's ready in minutes. Don't like the layouts? Adjust them. Don't worry, we won't make you redo your work.



CLP PIPE MARKER APP

Easily comply with the latest pipe marking standard. This app allows you to create the customized pipe markers you need, then save them to use again whenever you want more.



ARROW TAPE APP

Beyond creating a pipe marker, you need to know what direction the pipe contents are flowing. With this app, create a strip of repeated arrows or icons to wrap around your pipe and show content direction.



CUSTOM DESIGNER APP

Design anything you can imagine. Start with a blank canvas and create a label or sign that meets your needs. Add barcodes or QR codes, import data from Excel and more!

THE STEPS ARE SIMPLE



1. Download Brady Workstation at workstation.bradyyid.com



2. Fill the workstation with the apps you want



3. Save time by quickly designing and printing labels!





This section provides a quick reference to Brady materials listed throughout this catalogue, including basic attributes, applications and regulatory compliance where applicable. For more detailed material attribute and performance information, please refer to the material's Technical Data Sheet, listed at www.bradyeurope.com/tds.

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days) Min. Max.		Performance Attributes	Properties & Applications	Approval/Compliance
B-422	Polyester	Gloss	White	-40 °C	100 °C		White material stock with glossy finish and 2 mils of adhesive for rough surface applications, including low surface energy plastics. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, barcoding, asset and inventory tracking.	UL Recognised; CSA Accepted
B-423	Polyester	Gloss	White	-70 °C	110 °C		White polyester thermal transfer printable material with a glossy finish. Widely used for component identification, barcoding, asset and inventory tracking. UL rated for surfaces commonly used in solar panel manufacturing.	UL Recognised; CSA Accepted; AGA Approved; Halogen Free (DIN VDE 0472/part 815)
B-424	Paper	Matt	White	-40 °C	50 °C		White paper material with matt finish and smooth top coat finish for thermal transfer printing. Good contrast and smear resistance for thermal barcode printing. Used for general purpose labeling applications	—
B-428	Metallised Polyester	Matt	Silver	-40 °C	120 °C		Thermal transfer printable metallised polyester with matt finish. Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish.	UL Recognised; CSA Accepted; Halogen Free (DIN VDE 0472/part 815)
B-432	Polyester	Gloss	Clear	-40 °C	100 °C		Translucent, high performance polyester material with a glossy finish. Thermal transfer printable. Very similar to B-430, but has a thicker layer of acrylic adhesive for better adherence to rough surface applications.	UL Recognised; CSA Accepted
B-434	Metallised Polyester	Gloss	Silver	-40 °C	90 °C		Metallised polyester with a glossy finish and a thicker layer of adhesive for better adherence to rough surface applications. Withstands numerous solvents while maintaining excellent image quality.	UL Recognised; CSA Accepted
B-437	Polyvinylfluoride	Matt	White	-70 °C	135 °C		Polyvinylfluoride label material with matt finish. Used in wire and cable identification applications where self-extinguishing features are required. This label material utilises an adhesive for heavy-duty applications and is available in continuous or die-cut formats. Excellent resistance to water, oil and other common fluids. Also available in yellow.	MIL-M-87958 Pressure Sensitive Adhesive Wire or Cable Marker and Identification specification
B-483	Polyester	Gloss	White	-40 °C	120 °C		White polyester thermal transfer printable material with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.	UL Recognised; CSA Accepted
B-483/B-634	ToughStripe™ Polyester	Gloss	White	-40 °C	120 °C		ToughStripe™ floor marking thermal transfer printable polyester with ultra-aggressive adhesive which allows for printable messages to be placed on the floor. The floor marking roll ships with a separate roll of B-634 Polyester Overlaminate to protect your legend. Ideal to create custom-printed floor labels. Available in white, yellow, red, orange, green, blue and black.	—
B-484	Polyester	Gloss	White	-40 °C	120 °C		White polyester thermal transfer printable material, similar to B-483, but with thinner construction for curved or angled surfaces. Offers aggressive adhesive for adhesion to textured metals and low surface energy plastics.	UL Recognised
B-486	Polyester	Matt	Silver	-40 °C	120 °C		Metallised polyester thermal transfer printable material, ideal for indoor product labeling, asset tracking and general ID on very rough surfaces.	UL Recognised; CSA Accepted
B-488	Polyester	Matt	White	-70 °C	145 °C		White polyester thermal transfer printable material, similar to B-423, but with matt finish. Widely used for component identification, barcoding, asset and inventory tracking.	UL Recognised; CSA Accepted

Master Material Index

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days) Min. Max.		Performance Attributes	Properties & Applications	Approval/Compliance
 B-489	Polyester	Matt	White	-40 °C	120 °C	     	White polyester thermal transfer printable material, similar to B-483, but with matt finish. Aggressive adhesive specifically designed for powder coated surfaces.	UL Recognised; CSA Accepted
 B-498	Vinyl Cloth	Semi-gloss	White	-40 °C	80 °C	  	White vinyl cloth label material with glossy finish. The adhesive and cloth backing give excellent holding power, while being repositionable and removing cleanly.	UL Recognised
B-509	Magnetic Polyester		White	-18 °C	70 °C		Magnetic Back Polyester is used for temporary, reusable and movable signs	—
B-526	Phosphorescent Polyester	Gloss	Luminous Green	-40 °C	60 °C		BradyGlo™ High Intensity laminate is designed to provide high adhesion and luminance for egress marking in low light areas in and along stairwells of public buildings, exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes.	Complies with all indoor use requirements specified in RS 6-1 and 6-1A of New York Local Law 26 including photoluminescence, washability, flammability, toxic gas generation, and radioactivity. Approved Model Numbers Accepted For Use, City of New York, Department of Buildings: MEA No. 467-06-M UV: 46-9-7 Lloyd's Register SAS F050294
B-549	Polyester	Gloss	White	-40 °C	100 °C		Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape for permanent application. Adhesive can be applied at temperatures down to -10°F (-23°C).	—
B-551	Polyester Tag		White	-40 °C	90 °C		Tag material used for marking on-the-spot warning of dangerous conditions	Conforms to OSHA specification 1910.145 for accident prevention tags
B-569	Polyester		Green	-40 °C	100 °C		Designed for use on stainless steel pipes in harsh environments such as the Pulp and Paper Industry	—
B-581	Vinyl	Gloss	White	-40 °C	82 °C		Only indoor use, where frequent repositioning is required	—
B-584	Vinyl	Gloss	Orange	-40 °C	70 °C		Suitable for outdoor use. Also available in silver and yellow.	—
B-593	Polyester	Gloss	White	-20 °C	100 °C	  	EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow.	UL Recognised; cUL Recognised
B-595	Vinyl	Gloss	White	-40 °C	82 °C		Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces). Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics). Available in a wide range of colours.	—
 B-724	Polyimide	Matt	Amber	-70 °C	300 °C	     	Amber polyimide material with matt finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.	Meets the performance requirements of MIL -STD-202G, Notice 12, Method 215K; Meets the requirements of SAE AS81531 Marking of Electrical Insulating Material
 B-727	Polyimide	Gloss	White	-70 °C	300 °C	     	White polyimide material with glossy finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.	UL Recognised; Meets the performance requirements of MIL -STD-202G, Notice 12, Method 215K; Dibutyltin and Dioctyltin free.
B-7569	Vinyl	Gloss	White with pre-printed Red Diamond(s)	-20 °C	75 °C		Used for Pipe Markers, Arrow Tape, Warehouse Marking, Floor Marking, Warning Panels, Safety Signs and Hazardous Substance Identification	—
B-787	Polyvinylfluoride	Gloss	White	-70 °C	100 °C		White polyvinyl fluoride material. Used in wire and cable identification applications where self-extinguishing properties are required.	Boeing BMS 10-26 Type I, Grade A; Meets the colour requirements of FED-STD-595C Colour 17875 White
B-854	ToughWash™ Metal Detectable Polyester	Matt	White	-40 °C	110 °C		Tough against harsh washdown environments; metal detectable. Also available in yellow.	—
B-855	ToughWash™ Polyester	Matt	White	-40 °C	110 °C		Tough against harsh washdown environments. Also available in yellow.	—

Which Material for Which Application?

		B-423	B-424	B-428	B-432	B-434	B-437	B-483	B-484	B-486	B-488	B-489	B-509	B-526	B-549	B-551	B-569	B-581	B-584	B-593	B-595	B-724	B-727	B-7689	B-787	B-854	B-865
	Safety panels Pictograms Pictograms + text Wallcharts												★	★		★		★		★			★				
	Evacuation Maps												★	★		★				★							
	Safety Procedures & Machine Instructions Valve & switch identification Emergency procedures Lockout / Tagout Schematics												★	★		★		★		★				★			
	Pipe marking Individual pipe markers Roll form pipe markers Arrows															★				★				★			
	Hazardous Substances ID																							★			
	Photoluminescent Signage Emergency escape routes Assembly & Emergency point signs												★														
	Maintenance Cleaning instructions Repair instructions														★		★			★				★			
	Panel Identification Panel and switch identification	★		★	★	★		★	★	★	★	★							★	★				★			
	Asset Management Office furniture Tools & machines Company cars	★		★	★	★		★	★	★	★	★								★							
	Logistic Warehouse & Stock Bar codes											★		★			★			★							
	Transport Chemical substances Directional signs Informative signs																			★				★			
	Office Use Files Door signs		★																	★				★			
	Cut-Out Letters & Signs															★				★				★			
	Tagout Safety tags															★											
	Events (badges, logo...) Exhibitions Seminars Advertising / communication agencies																	★		★	★			★			
	Services / Recreation Industrial contractors Holiday centres, leisure centres Theme parks															★			★								
	Washdown labels For use in Food & Beverage Industry																								★	★	
	PCB ID For low volume PCB labelling with high flexibility																				★	★					
	Cable & Wire ID Self extinguishing						★																	★			

Brady Corporation

Our mission is To Identify and Protect People, Products and Places



COMPANY OVERVIEW

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

BRADY MANUFACTURES AND MARKETS:

products for identification and safety applications such as signs and markers, printing systems and software to produce identification products on-site and on demand
products for wire identification, including labelling materials and tools for wire and cable marking in the electrical, datacom and telecommunication markets

high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments

products that identify people and enhance security by ensuring the right persons are in the right places at the right time

OPERATIONS – SOME FACTS:

6500 employees around the world

Operations in 29 countries

Distribution in more than 100 countries through more than 4,400 distributor partners



Ejnar C. Kjeldsen A/S
Fjeldhammervej 5-9
2610 Rødovre

eck@eck.dk / 36 77 06 77