





M710 Label Printer

13-14 M710 Label Printer

- 15 B-595 high performance indoor/outdoor vinyl
- 16 B-584 reflective vinyl
- 16 B-569 high performance polyester
- 16 B-595 printable inspection labels
- 16 B-582/B-526 phosphorescent polyester tapes
- 16 B-483/B-634 ToughStripe area marking tape
- 17 B-584 reflective vinyl
- 17 B-854 and B-855 ToughWash series labels
- 18 B-581 repositionable vinyl
- 18 B-7593 EPREP labels – engraved plate replacement labels
- 18 B-569 high performance polyester
- 19 B-549 cold temperature application material
- 19 B-530 security identification labels
- 19 B-423 and B-428 pre-printed labels
- 19 B-483A pre-printed labels
- 19 B-424 paper labels
- 20 B-509 printable magnetic supply
- 20 M710 ribbons
- 20 M710 at a glance



M710 Label Printer



M710 LABEL PRINTER

MORE SPEED. LESS MESS.
Print on just about anything.

Take on more jobs, and get them done in record time with the all-new M710 Label Printer. Fast and flexible, it's your tool for seamless label creation from the shop to the field. Design and print with a mobile app, software or keyboard and colour touchscreen. Enjoy printing on the toughest materials around, plus extra durability from a Li-ION battery that lasts all day long. Better jobsite performance starts with the M710.

For videos and more information please visit:
www.bradyeurope.com/M710



M710 printer

Order Reference	Art. No.	Description
M710-QWERTY-EU	317810	M710 Label Printer QWERTY EU
M710-WB-QWERTY-EU	317811	M710 Label Printer QWERTY EU with Wifi and BT
M710-QWERTY-UK	317812	M710 Label Printer QWERTY UK
M710-WB-QWERTY-UK	317813	M710 Label Printer QWERTY UK with Wifi and BT
M710-AZERTY-EU	317814	M710 Label Printer AZERTY
M710-WB-AZERTY-EU	317815	M710 Label Printer AZERTY, Wifi, BT
M710-WB-QWERTZ	317816	M710 Label Printer QWERTZ with Wifi and BT
M710-WB-CYRILLIC	317817	M710 Label Printer Cyrillic with Wifi and BT
M710-US	317834	M710 Qwerty US Label Printer
M710-WB-US	317835	M710 Qwerty US Label Printer with Wifi and BT

This printer ships in a hard case holding a USB cable, a quick start guide, a product USB (with product info and Windows driver), a Li-ION Rechargeable Battery, an AC Adapter, a Brady Workstation Design Software, a Media Adapter, a roll of M7C-1000-595-WT and an

M7-R6000 ribbon.

Includes the Brady Workstation Essentials Suite as standard - <http://workstation.bradyd.com/>

M710 accessories

Order Reference	Art. No.	Description
M-SCRIPT-ADAPT-INT	178993	Brady Script Emulator for ZPL
M71-CLEAN	114886	Cleaning Kit
M710-HC	175664	Hard Case M710 Label Printer
M71-ADAPT-BK	147998	Media Adaptor for high-end portable printer
BMP-SC-3	150619	Protective softbag for portable printers
M-LION-BATTERY	175673	Rechargeable Lithium-ion Battery for M510/M610/M710 printer
M-NIMH-BATTERY	175674	Rechargeable NiMH Battery for M510/M610/M710 printers
USB-C-A-CABLE	175665	USB-C to USB Type A Cord

GET MORE DONE WITH:



LIGHTNING-FAST PRINT SPEEDS



SHOP-TO-FIELD FLEXIBILITY



MORE THAN 60 MATERIAL OPTIONS



Pipe Marking



ToughStripe area marking



General identification



Photoluminescent tape



Bin labelling



Safety labels... and many more!

M710 Label Printer

M710 printer specifications

Specifications	
Print Technology	Thermal Transfer
Print Resolution (dpi)	300
Print Speed (mm/sec)	38.00 mm/s
Colour Capability	Monocolour
Continuous vs Die-cut Labels	Continuous Die-cut Custom Bulk
Max. Label Width (mm)	50.80
Max. Print Length (mm) (mm)	1016.00
Connectivity Options	Standalone Use, USB, Bluetooth on selected models, WiFi on selected models
Programming Language	Brady Script Emulator for ZPL (Accessory required) Brady Custom ZPL Emulation Software Solution
Phones & Tablets Supported	Android devices with Android OS 10+ iPhone with iOS 15+
Software Compatibility	Brady Workstation Express Labels Mobile App Software development kit Windows based driver for 3rd party software use
Bar Code Type	QR Code Data Matrix Code 128 Code 39 EAN-8 EAN-13 Interleaved 2 of 5 UPC-A UPC-E More through software
Built-in Symbols	500+
Physical Properties	
Width x Height x Depth (mm)	240.03 x 345.20 x 116.75
Weight (kg)	2.45
On Screen Indicators	Battery Life Ribbon and label part number recognition Ribbon Remaining Supply Remaining
Cutter	Auto Cutter
Warranty	2 years
Drop Test	Resistant to 1.2 metre drops, Sand & Dust

M710 printer with software

Design any label with Brady Workstation apps

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.




Simply download Brady Workstation to your desktop and add the applications you need:

www.workstation.bradyid.com

Order Reference	Art. No.	Description
M710-QY-EU-BWS	322911	M710 QWERTY EU + Brady Workstation Suite
M710-AZ-BWS	322912	M710 AZERTY EU + Brady Workstation Suite
M710-QY-UK-BWS	322913	M710 QWERTY UK + Brady Workstation Suite
M710-WB-QY-EU-BWS	322914	M710 QWERTY EU Wi-Fi, BT + Brady Workstation Suite
M710-WB-AZ-BWS	322915	M710 AZERTY EU Wi-Fi, BT + Brady Workstation Suite
M710-WB-QZ-BWS	322916	M710 QWERTZ EU Wi-Fi, BT + Brady Workstation Suite
M710-WB-QY-UK-BWS	322917	M710 QWERTY UK Wi-Fi, BT + Brady Workstation Suite
M710-WB-CYR-BWS	322918	M710 CYRILLIC EU Wi-Fi, BT + Brady Workstation Suite

Brady Workstation Express Label App

Access files faster. Anywhere you work.



Label file created in the office

Labels pushed to the cloud

Labels printed in the field


- ▶ **20+ barcode types**
- ▶ **85+ fonts**
- ▶ **1,400+ symbols**
- ▶ **Image to text**
- ▶ **BradyVoice (only in English)**
- ▶ **Microsoft Excel data imports**
- ▶ **Label sequencing**
- ▶ **Label saving and sharing**
- ▶ **Label layouts**
- ▶ **Accurate print preview**
- ▶ **Real-time printer status**

M710 labels and tapes

B-595 high performance indoor/outdoor vinyl

- Brady's indoor/outdoor grade vinyl tape adheres well to pipes, walls, equipment, windows – most clean, dry surfaces.
- Conforms well to irregular, curved or rough surfaces – it even stands up to grease, oil and most industrial chemicals.
- 8 to 10** year outdoor durability average in temperatures from -40°C to 82°C, can be applied as low as -18°C.

Diagram	Order Reference	Colour	Finish	Width A (mm)	Length B (m)	Recommended Ribbon
B-595: Vinyl						
∞	M7C-500-595-YL	Yellow	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-YL	Yellow	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-YL	Yellow	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-WT	White	Gloss	12.70	15.24	R6000HF, R6900, R10000
∞	M7C-1000-595-WT	White	Gloss	25.40	15.24	R6000HF, R6900, R10000
∞	M7C-2000-595-WT	White	Gloss	50.80	15.24	R6000HF, R6900, R10000
∞	M7C-500-595-CL	Transparent	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-CL	Transparent	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-CL	Transparent	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-TN	Tan	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-TN	Tan	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-TN	Tan	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-SB	Sky Blue	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-SB	Sky Blue	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-SB	Sky Blue	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-RD	Red	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-RD	Red	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-RD	Red	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-PL	Purple	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-PL	Purple	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-PL	Purple	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-PK	Pink	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-PK	Pink	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-PK	Pink	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-OR	Orange	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-OR	Orange	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-OR	Orange	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-OC	Ochre	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-OC	Ochre	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-OC	Ochre	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-LB	Light Blue	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-LB	Light Blue	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-LB	Light Blue	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-GY	Grey	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-GY	Grey	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-GY	Grey	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-GN	Green	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-GN	Green	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-GN	Green	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-GD	Gold	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-GD	Gold	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-GD	Gold	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-BR	Brown	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-BR	Brown	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-BR	Brown	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-BL	Blue	Gloss	12.70	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-1000-595-BL	Blue	Gloss	25.40	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-2000-595-BL	Blue	Gloss	50.80	15.24	R4400, R6000HF, R6900, R10000
∞	M7C-500-595-BK	Black	Gloss	12.70	15.24	R4400, R6700, R6900, R10000
∞	M7C-1000-595-BK	Black	Gloss	25.40	15.24	R4400, R6700, R6900, R10000
∞	M7C-2000-595-BK	Black	Gloss	50.80	15.24	R4400, R6700, R6900, R10000




**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

M710 labels and tapes

B-582/B-526 Phosphorescent polyester tapes

- Glow-in-the-dark material. Ideal for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes.


Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Recommended Ribbon
B-526: Phosphorescent Polyester					
	BM7C-1000-526	White	25.40	22.86	R6000HF, R10000
	BM7C-2000-526	White	50.80	22.86	R6000HF, R10000
B-582: Phosphorescent Polyester					
	BM7C-1000-582	Photoluminescent Green	25.40	22.86	R4400, R6000HF, R6900
	BM7C-2000-582	Photoluminescent Green	50.80	22.86	R4400, R6000HF, R6900



B-595 printable inspection date labels

- Easy peel off for fast application
- Use the inspection label templates from Brady Workstation
- Available in different colours and sizes


Diagram	Order Reference	Colour	Diameter C (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series
	M7-225-595-BL	Blue	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-BR	Brown	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-GN	Green	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-GY	Grey	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-OC	Ochre	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-OR	Orange	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-PL	Purple	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-RD	Red	25.00	28.575 mm	250	R4400, R6000HF, R6900, R10000
	M7-225-595-WT	White	25.00	28.575 mm	250	R6000HF, R6900, R10000
	M7-226-595-BL	Blue	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-BR	Brown	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-GN	Green	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-GY	Grey	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-OC	Ochre	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-OR	Orange	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-PL	Purple	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-RD	Red	35.00	38.553 mm	250	R4400, R6000HF, R6900, R10000
	M7-226-595-WT	White	35.00	38.553 mm	250	R6000HF, R6900, R10000



B-569 High performance polyester tape

- Recommended for low-halide labeling onto stainless steel pipes and surfaces in harsh environments.
- Applies best to very smooth surfaces and ideal for mounting to rigid panels.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series
B-569: Polyester							
	M7C-1000-569-BL	Blue	Gloss	25.40	15.24 m	1	R6000HF, R10000
	M7C-1000-569-GN	Green	Gloss	25.40	15.24 m	1	R6000HF, R10000
	M7C-1000-569-RD	Red	Gloss	25.40	15.24 m	1	R6000HF, R10000
	M7C-1000-569-WT	White	Gloss	25.40	15.24 m	1	R6000HF, R10000
	M7C-1000-569-YL	Yellow	Gloss	25.40	15.24 m	1	R6000HF, R10000
	M7C-2000-569-BL	Blue	Gloss	50.80	15.24 m	1	R6000HF, R10000
	M7C-2000-569-GN	Green	Gloss	50.80	15.24 m	1	R6000HF, R10000
	M7C-2000-569-RD	Red	Gloss	50.80	15.24 m	1	R6000HF, R10000
	M7C-2000-569-WT	White	Gloss	50.80	15.24 m	1	R6000HF, R10000
	M7C-2000-569-YL	Yellow	Gloss	50.80	15.24 m	1	R6000HF, R10000




M710 labels and tapes

B-584 reflective vinyl

- The reflective quality of this material makes it ideal for reading labels in low light conditions (with flashlights).


Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Recommended Ribbon
B-584: Reflective Tape					
	BMC-1000-584-YL	Yellow	25.40	22.86	R4400, R6000HF, R6900, R10000
	BMC-2000-584-YL	Yellow	50.80	22.86	R4400, R6000HF, R6900, R10000
	BMC-1000-584-WT	White	25.40	22.86	R4400, R6000HF, R6900, R10000
	BMC-2000-584-WT	White	50.80	22.86	R4400, R6000HF, R6900, R10000
	BMC-1000-584-OR	Orange	25.40	22.86	R4400, R6000HF, R6900, R10000
	BMC-2000-584-OR	Orange	50.80	22.86	R4400, R6000HF, R6900, R10000



B-483/B-634 ToughStripe area marking tape

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlaminates.
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlaminates.


Diagram	Order Reference	Colour	Finish	Width A (mm)	Length B (m)	Recommended Ribbon
B-483A/B-634: Polyester with Polyester Overlaminates						
	M7-1000-483-YL-KT	Yellow	Gloss	25.40	15.24	R4400, R6000HF, R6300
	M7-2000-483-YL-KT	Yellow	Gloss	50.80	15.24	R4400, R6000HF, R6300
	M7-1000-483-WT-KT	White	Gloss	25.40	15.24	R6000HF, R6300, R6900
	M7-2000-483-WT-KT	White	Gloss	50.80	15.24	R6000HF, R6300, R6900
	M7-1000-483-RD-KT	Red	Gloss	25.40	15.24	R4400, R6000HF
	M7-2000-483-RD-KT	Red	Gloss	50.80	15.24	R4400, R6000HF
	M7-1000-483-OR-KT	Orange	Gloss	25.40	15.24	R4400, R6000HF
	M7-2000-483-OR-KT	Orange	Gloss	50.80	15.24	R4400, R6000HF
	M7-1000-483-GN-KT	Green	Gloss	25.40	15.24	R4400, R6000HF
	M7-2000-483-GN-KT	Green	Gloss	50.80	15.24	R4400, R6000HF
	M7-1000-483-BL-KT	Blue	Gloss	25.40	15.24	R4400, R6000HF
	M7-2000-483-BL-KT	Blue	Gloss	50.80	15.24	R4400, R6000HF
	M7-1000-483-BK-KT	Black	Gloss	25.40	15.24	R4400
	M7-2000-483-BK-KT	Black	Gloss	50.80	15.24	R4400



B-854 and B-855 ToughWash series labels

- Durable label construction resists harsh washdown environments and has been tested at washdown temperatures up to 80°C (175° F) and pressures up to 1500 PSI.
- B-854 is a metal detectable version, capable of being detected by commercially available metal detectors.

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Length B (m)	Recommended Ribbon
B-854: Metal Detectable Polyester						
	BM7C-2000-854-CAU	Black, Yellow on White	104.78	50.80	22.86	R6000HF
	BM7C-1000-854-WT	White	25.40	—	22.86	R6000HF
	M7-222-854	White	33.02	22.86	22.86	R10000
	BM7C-2000-854-WT	White	50.80	—	22.86	R6000HF
	BM7C-1000-854-YL	Yellow	25.40	—	22.86	R6000HF
	BM7C-2000-854-YL	Yellow	50.80	—	22.86	R6000HF
B-855: Polyester						
	BM7C-1000-855-WT	White	25.40	—	22.86	R6000HF
	M7-222-855	White	33.02	22.86	22.86	R10000
	BM7C-2000-855-WT	White	50.80	—	22.86	R6000HF
	BM7C-1000-855-YL	Yellow	25.40	—	22.86	R6000HF
	BM7C-2000-855-YL	Yellow	50.80	—	22.86	R6000HF



Order references with "C" (e.g. M7C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

M710 labels and tapes



B-581 repositionable vinyl

- Best choice for indoor marking where frequent repositioning is required, such as shelves. Special adhesive allows easy removal of label to re-apply again and again.






Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Recommended Ribbon
B-581: Vinyl					
	M7C-500-581-WT	White	12.70	15.24	R6000HF, R6900, R10000
	M7C-1000-581-WT	White	25.40	15.24	R6000HF, R6900, R10000
	M7C-2000-581-WT	White	50.80	15.24	R6000HF, R6900, R10000
	M7C-500-581-YL	Yellow	12.70	15.24	R6000HF, R6900, R10000
	M7C-1000-581-YL	Yellow	25.40	15.24	R6000HF, R6900, R10000
	M7C-2000-581-YL	Yellow	50.80	15.24	R6000HF, R6900, R10000



B-7593 EPREP labels – engraved plate replacement labels

- BRADY EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.



Roll Mounted



Fanfolded



Bulk Roll

Diagram	Order Reference	Colour	Finish	Width A (mm)	Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Roll	Layout	Recommended Ribbon
B-7593: Polyethylene Foam Laminate Polyester										
	M7-5-7593-BK	Black	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R4400-WT
	M7-6-7593-BK	Black	Gloss	45.00	15.00	-	40.37	100	Fan-folded	R4400-WT
	M7-5-7593-GN	Green	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R4400, R6000HF, R6900
	M7-5-7593-RD	Red	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R4400, R6000HF, R6900
	M7-6-7593-RD	Red	Gloss	45.00	15.00	-	40.37	100	Fan-folded	R4400, R6000HF, R6900
	M7-1-7593-SL	Silver	Gloss	27.00	7.95	-	11.18	250	Individual on a Roll	R4400, R6000HF, R6900
	M7-2-7593-SL	Silver	Gloss	27.00	12.45	-	15.63	250	Individual on a Roll	R4400, R6000HF, R6900
	M7-3-7593-SL	Silver	Gloss	27.00	15.00	-	18.14	150	Individual on a Roll	R4400, R6000HF, R6900
	M7-4-7593-SL	Silver	Gloss	27.00	18.00	-	21.25	150	Individual on a Roll	R4400, R6000HF, R6900
	M7-5-7593-SL	Silver	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R4400, R6000HF, R6900
	M7-7-7593-SL	Silver	Gloss	35.00	18.00	-	21.49	100	Individual on a Roll	R4400, R6000HF, R6900
	BM-06-7593-SL	Silver	Gloss	45.00	15.00	-	18.26	450	Individual on a Roll	R4400, R6000HF
	M7-8-7593-SL	Silver	Gloss	48.00	19.00	-	22.46	125	Individual on a Roll	R4400, R6000HF, R6900
	M7-1-7593-WT	White	Gloss	27.00	7.95	-	11.18	250	Individual on a Roll	R6000HF, R6900
	M7-2-7593-WT	White	Gloss	27.00	12.45	-	15.63	250	Individual on a Roll	R6000HF, R6900
	M7-3-7593-WT	White	Gloss	27.00	15.00	-	18.14	150	Individual on a Roll	R6000HF, R6900
	M7-4-7593-WT	White	Gloss	27.00	18.00	-	21.25	150	Individual on a Roll	R6000HF, R6900
	M7-5-7593-WT	White	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R6000HF, R6900
	M7-7-7593-WT	White	Gloss	35.00	18.00	-	21.49	100	Individual on a Roll	R6000HF, R6900
	BM-06-7593-WT	White	Gloss	45.00	15.00	-	18.26	450	Individual on a Roll	R4400, R6000HF
	M7-8-7593-WT	White	Gloss	48.00	19.00	-	22.46	125	Individual on a Roll	R6000HF, R6900
	M7-5-7593-YL	Yellow	Gloss	30.00	40.00	24.00	50.80	100	Fan-folded	R4400, R6000HF, R6900
	M7-7-7593-YL	Yellow	Gloss	35.00	18.00	-	21.49	100	Individual on a Roll	R4400, R6000HF, R6900
	M7-6-7593-YL	Yellow	Gloss	45.00	15.00	-	40.37	100	Fan-folded	R4400, R6000HF, R6900



B-851 Safety Tags

- Rigid, high-quality polyester tags are perfect for marking on-the-spot warnings of dangerous conditions
- Print on one side and write anywhere to easily customise messaging for your tagging program
- Superior durability over paper cardstock and withstands moisture, grease and dirt


Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Roll	Recommended Ribbon
M7-215-851-WT	White	50.80	-	75	R10000

M710 labels and tapes

B-549 Cold temperature application material

- Special adhesive permanently adheres to extremely cold surfaces
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter
- Service temp: -40 °C to 100 °C
- Application temp: -23 °C to 100 °C


Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-549: Polyester						
∞	M7C-1000-549-WT	White	Gloss	25.40	15.24 m	R6000HF, R10000
∞	M7C-1000-549-YL	Yellow	Gloss	25.40	15.24 m	R6000HF, R10000
∞	M7C-2000-549-WT	White	Gloss	50.80	15.24 m	R6000HF, R10000
∞	M7C-2000-549-YL	Yellow	Gloss	50.80	15.24 m	R6000HF, R10000



B-530 security identification labels

- Tamper-resistant tape destructs into tiny fragments when being removed, makes any attempts to remove the label very difficult and time consuming.


Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Roll	Recommended Ribbon
B-530: Tamper-resistant Vinyl						
∞	M7C-500-530	White	12.70	15.24	1	R6000HF, R6900
∞	M7C-1000-530	White	25.40	15.24	1	R6000HF, R6900
∞	M7C-2000-530	White	50.80	15.24	1	R6000HF, R6900



B-423 and B-428 pre-printed labels

- M710 printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.


Order Reference	Colour	Finish	Width A (mm)	Height B (mm)	Labels per Roll	Recommended Ribbon
B-423: Polyester						
M7-30-423-TEST	Green on White	Gloss	38.10	19.05	250	R6000HF, R6200, R6900
B-428: Metallised Polyester						
M7-30-428-CALI	Green on Grey	Matt	38.10	19.05	250	R4300, R6200



B-483A pre-printed labels

- M710 printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.


Order Reference	Colour	Finish	Width A (mm)	Height B (mm)	Labels per Roll	Recommended Ribbon
B-483A: Polyester						
M7-38-483-CAUTION	Black, Yellow on White	Gloss	101.60	48.26	100	R6000HF, R6300, R6900
M7-38-483-DANGER	Red on White	Gloss	101.60	48.26	100	R6000HF, R6300, R6900
M7-38-483-NOTICE	Blue on White	Gloss	101.60	48.26	100	R6000HF, R6300, R6900
M7-38-483-WARNING	Black, Orange on White	Gloss	101.60	48.26	100	R6000HF, R6300, R6900



B-424 paper labels

- Economical choice for light duty general ID.
- White finish and matt topcoat.
- Excellent contrast and smear resistance for barcode printing.

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Labels per Roll	Recommended Ribbon
B-424: Paper						
▲	M7-20-424	White	25.40	50.80	100	R4300, R6900
▲	BM-20-424	White	50.80	25.40	1000	R4300, R6900



M710 labels and tapes



B-509 Printable magnetic supply

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-509: Magnetic Polyester						
	BM7C-1000-509-WT	White	Matt	25.40	7.62	R6000HF, R10000
	BM7C-1000-509-YL	Yellow	Matt	25.40	7.62	R6000HF, R10000
	BM7C-1800-509-WT	White	Matt	45.72	7.62	R6000HF, R10000
	BM7C-1800-509-YL	Yellow	Matt	45.72	7.62	R6000HF, R10000

M710 ribbons

Order Reference	Colour	Roll Width (mm)	Roll Length (m)	Formulation	Notes / Details
M7-R10000	Black	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant black ribbon
M7-R10000-BL	Blue	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant blue ribbon
M7-R10000-GN	Green	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant green ribbon
M7-R10000-RD	Red	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant red ribbon
M7-R10000-WT	White	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant white ribbon
M7-R10000-YL	Yellow	50.00	45.72	Resin	M7-R10000 Series: high performing, scratch and solvent resistant yellow ribbon
M7-R4400-WT	White	50.00	45.72	Resin	M7 R4400 Series: high heat, scratch and solvent resistant white ribbon
M7-R6000	Black	50.00	45.72	Resin	M7 R6000 Series: high heat, scratch and solvent resistant black ribbon
M7-R6200	Black	50.00	45.72	Resin	M7 R6200 Series: chemical, heat, scratch and smear resistant black ribbon
M7-R6400	Black	50.00	45.72	Resin	M7 R6400 Series: abrasion and chemical resistant black ribbon
M7-R6600	Black	50.00	45.72	Resin	M7 R6600 Series: friction and solvent resistant black ribbon
M7-R6800-WT	White	50.00	36.58	Resin	M7 R6800 Series: scratch, smudge and solvent resistant white ribbon
M7-R6900-BL	Blue	50.00	45.72	Resin	M7 R6900 Series: fade, scratch and solvent resistant blue ribbon
M7-R6900-GN	Green	50.00	45.72	Resin	M7 R6900 Series: fade, scratch and solvent resistant green ribbon
M7-R6900-MA	Magenta	50.00	45.72	Resin	M7 R6900 Series: fade, scratch and solvent resistant magenta ribbon
M7-R6900-RD	Red	50.00	45.72	Resin	M7 R6900 Series: fade, scratch and solvent resistant red ribbon
M7-R6900-YL	Yellow	50.00	45.72	Resin	M7 R6900 Series: fade, scratch and solvent resistant yellow ribbon
M7-R4300	Black	50.00	45.72	Wax/Resin	M7 R4300 Series: chemical, environmental and smear resistant black ribbon
M7-R6700-WT	White	50.00	45.72	Wax/Resin	M7 R6700 Series: chemical resistant white ribbon

M710 at a glance



Watch the how to videos on our Brady YouTube channel.



**2 YEAR
WARRANTY**